



QUESTIONNAIRE FOR Lutz JESCO PUMPS

Lutz-JESCO America Corp.

Version 1.1.2010

1 (2)

1. COMPANY INFORMATION:

Company:	_____	Operation site:	_____
Contact person:	_____	Phone:	_____
Address:	_____	Fax:	_____
City:	_____	e-mail:	_____
Country:	_____		
Postal code:	_____		

2. PROCESS DESCRIPTION:

Description of medium, chemical composition: _____

Pumps currently in use (type and size) on same duty: _____

3. MEDIUM PARAMETERS:

Temperature:	<input type="text"/> °C	<input type="text"/> °F	S.G. of fluid:	<input type="text"/>	
pH:	<input type="text"/>		Solids in fluid:	<input type="text"/> w-%	
Max. particle size:	<input type="text"/> cm	Viscosity:	<input type="text"/> cp	Density of fluid:	<input type="text"/> kg/l
Other notes of medium:	_____				

4. FLOW PARAMETERS:

Discharge Pressure:	<input type="text"/> PSIG	<input type="text"/>	<input type="text"/> bar
Normal operating flow rate:	<input type="text"/> GPH	<input type="text"/> GPM (US)	<input type="text"/> ml/min
Minimum flow rate:	<input type="text"/> GPH	<input type="text"/> GPM (US)	<input type="text"/> ml/min
Maximum flow rate:	<input type="text"/> GPH	<input type="text"/> GPM (US)	<input type="text"/> ml/min
Altitude above sea level:	<input type="text"/> feet	<input type="text"/> feet	
Operation mode:	<input type="text"/> Fixed	<input type="text"/> Variable	
Operating hours per day:	<input type="text"/>		
Special requirements:	_____		

5. VOLTAGE:

230V \460V 60Hz	<input type="text"/>
115V 60Hz NEMA 5/15 (US)	<input type="text"/>
230V 60Hz NEMA 6/15 (US)	<input type="text"/>

6. Preferred Control Method:

Automatic Speed/Stroke	<input type="text"/>
Manual Only	<input type="text"/>

7. ACCESSORIES:

	<input type="text"/>
--	----------------------

Other requirements:

8. SCHEMATIC